

#### Contents

#### Natural Stone Mantels

Ashcombe 54" Agean Limestone	2
Balham 56" Agean Limestone	4
Chancery 52" Travertine Marble	6
Chancery 52" Agean Limestone	7
Everley 48" Agean Limestone	8
Everley 48" Travertine Marble	10
Grosvenor 60" Carrara Marble	12
Grosvenor 56" Carrara Marble	13
Grosvenor 56" Liberty White	14
Hanwell 54" Agean Limestone	16
Hanwell 54" Travertine Marble	18
Hersham 48" Agean Limestone	20
Hersham 54" Agean Limestone	22
Hersham 54" Carrara Marble	24
Hersham 54" Liberty White Marble	25
Hersham 54" Umbrian Stone	26
Kensington 56" Agean Limestone	28
Kensington 56" Liberty White	30
Kensington 56" in Umbrian Stone	32
Mulholland 54" Agean Limestone	34
Mulholland 54" Travertine	36
Mulholland 54" Umbrian Stone	38
Regent 57" Agean Limestone	40
Regent 57" Carrara Marble	42
Regent 57" Travertine Marble	44
Sandringham 54" Carrara Marble	46
Sandringham 54" Liberty White Marble	48
Swinford 48" Agean Limestone	50

## Fuel Key







#### Oak Mantels

Byron 46" Solid Oak	52
Byron 54" Solid Oak	54
Copgrove 54" Solid Oak	56
Levisham 54" Solid Oak	58

#### Cast Iron Fireplaces

Fairburn 36" Black	60
Fairburn 36" Full Polished	62
Fairburn 36" Highlight	64
Fairburn 48" Black	66
Fairburn 48" Full Polished	68
Harewood 36" Black	70
Harewood 36" Full Polished	72
Harewood 36" Highlight	74

#### Cast Iron Baskets

Danbury Baskets	76
Arundel Basket	78
Bamburgh Basket	80
Clifford Basket	82

#### Range summary & technical information

Mantale at a glanco

Mantels at a glance	84
Cast Iron Fireplaces at a glance	86
<b>⊚greencas</b> t products at a glance	87
Arches at a glance	88
Cat Iron plates at a glance	89
Hobs at a glance	89
Tiles inserts at a glance	89

## Aftercare & maintenance

#### STONE & MARBLE

All our natural stone and marble products are sealed during the manufacturing process. This is an initial protective coating which helps to reduce the porosity of the stone or marble. We would recommend that once your fireplace has been installed, it should be cleaned and left to dry and resealed using proprietary cleaners and sealers (your retailer will be able to advise). Surprisingly, marble is quite porous and as such can stain just as easily as limestone or sandstone which appears to be more porous than marble. These products can be cleaned from time to time and special care kits are available from your retailer. There are also occasions where accidental damage can occur, where minor chips or scratches "appear". Stone and Marble are very forgiving materials and can be carefully sanded down to bring the surfaces back to their initial glory. Each fireplace is provided with a detailed installation, care and maintenance leaflet which explains more about this please ask your installer to leave this with you.

#### GAS FIRES

Gas fires are similar to gas boilers in that they must be fitted by appropriately qualified and registered installers (GAS SAFE formerly known as CORGI) and must be serviced regularly by a suitably qualified and registered person.

#### CAST IRON AND STEEL

The Cast Iron Fireplaces, hobs, inserts and stoves are made from cast iron and steel components and as such are prone to rusting if they come into contact with moisture. It has been known that a cast iron product has changed from highly polished to bright orange over night, when it was fitted into a house that had been newly plastered. Our products are delivered to your retailer with a thick protective coating which is to be removed once it has been installed (and when the plaster has dried out). From then on the products are vulnerable to rust and so we recommend a weekly routine of wiping down the unpainted parts of your hob or insert fireplace with WD40 or similar.

When burning fossil fuels, it is your responsibility to ensure that you use smokeless fuels if you live in a smoke free zone. We suggest that you use fuels recommended by the Solid Fuel Association (www. solidfuel.co.uk). No responsibility can be accepted if high temperature fuels have been used, or if your chimney has excessive draft. Your retailer will be able to advise.

We recommend that you clean ash away regularly as this can cause premature failure of the grate. The grate is a consumable element of your fireplace and can be replaced by contacting your retailer.

We recommend that chimneys should be swept every six months as a minimum.


The colours shown in the brochure are as accurate as possible, however, please visit your retailer if colour is critical in order to see samples of the materials you like.

Designs and products are occasionally altered or discontinued without prior notice (a reserved right), so if you are about to set your interior design around a fireplace shown in this brochure, then do please check with your retailer to ensure that there are no material changes.

It is essential that you have your fireplace installed in accordance with Building Regulations and other standard requirements by a competent person experienced in fitting all elements of your fireplace - your retailer will be able to help you select an appropriately qualified installer.

Please ensure that you fully inspect your new fireplace before it is installed as no responsibility for refitting or redecoration can be accepted if defective products are

Due to manufacturing processes, all measurements are approximate and may vary slightly. Please allow for a tolerance of plus or minus 12mm.



## Ashcombe 54" in Agean Limestone

#### Backpanel

Merrick highlight cast iron

#### Fire

Glass fronted gas convector (slide control) Flare Fireframe polished

#### Hearth


Polished granite

## Fuel options for Backpanels


















## Balham 56" in Agean Limestone

### Backpanel

Provident highlight cast iron

#### Fire

Glass fronted gas convector (slide control) Provident Fireframe highlight

#### Hearth

Polished granite

## Fuel options for Backpanels









## Chancery 52" in Agean Limestone

#### Backpanel

Oxford highlight cast iron

#### Stove

Sirius 450 Traditional Inset Cleanburn

#### Hearth

Polished granite (slabbed for solid fuel)

### Fuel options for Backpanel










### Chancery 52" in Travertine Marble

With Wandsworth highlight cast iron arch, bespoke gas fire & polished granite hearth









## Everley 48" in Agean Limestone

#### Arch

Wandsworth 14" highlight cast iron

#### Fire

Bespoke gas burner

#### Hearth

Polished granite









## Everley 48" in Travertine Marble

#### Backpanel

Polished granite slips

#### Stove

Sirius 450 Contemporary Inset

#### Hearth

Polished granite (slabbed for solid fuel)

#### Firetools

Tee set

### Fuel options for Sirius Stoves









## Grosvenor 56" in Carrara Marble

(also available in 60")

#### Fascia

Capital Classic Steel Polished Fascia Plate and black steel back plate

#### Fire

Decorative open fronted gas, Capital magnetic trim brushed steel and Capital Plate fret highlight

#### Hearth

Honed granite

#### Fuel options for Steel Plates













## Grosvenor 56" in Liberty White Marble

#### Arch

Wandsworth highlight cast arch

#### Fire

Bespoke gas burner

#### Hearth

Polished granite (slabbed for solid fuel)













# Hanwell 54" in Agean Limestone

#### Backpanel

Oxford highlight cast iron

#### Fire

Glass fronted gas convector (slide control) Capella Fireframe polished

#### Hearth

Polished granite

## Fuel options for Backpanels

















## Hanwell 54" in Travertine Marble

#### Chamber

Reeded Fireboard

#### Stove

Sirius 450 Glass

#### Hearth

Polished granite

### Fuel options for Sirius Stoves





## Hersham 48" in Agean Limestone

#### Arch

Wandsworth 14" black cast iron

#### Fire

Real wood

#### Hearth

Polished granite (slabbed for solid fuel)













## Hersham 54" in Agean Limestone

#### Arch

Wandsworth highlight cast iron

#### Fire

Bespoke gas burner

#### Hearth

Polished granite

#### Fuel options for Arches









#### Insert option (above)

Provident cast iron backpanel Glass fronted gas convector fire (slide control) Provident Fireframe highlight













## Hersham 54" in Carrara Marble

(also available in Liberty White Marble)

#### Arch

Carlisle highlight cast iron

#### Fire

Bespoke gas burner

#### Hearth

Honed granite










Hersham 54" Liberty White Marble (above)





## Hersham 54" in Umbrian Honed Stone 1" Rebate

#### Arch

Wandsworth 16" in Black

#### Fire

Real Wood

#### Hearth

Honed Granite (slabbed for solid fuel)









## Kensington 56" in Agean Limestone

#### Fascia

Capital Classic Steel Polished Fascia Plate and back plate

#### Fire

Decorative open fronted gas, Capital magnetic trim brushed steel and Bauhaus fret polished

#### Hearth

Agean Limestone

#### Fuel options for Steel Plates

















## Kensington 56" in Liberty White Marble

#### Arch

Carlisle black cast iron

#### Fire

Shown without a fire (decorative lights not included)

#### Hearth

Honed granite (slabbed for solid fuel)









## Kensington 56" in Umbrian Stone 1" Rebate

#### Chamber

Rustic Herringbone Brick

#### Stove

Sirius 490 Scene

#### Hearth

Polished granite

## Fuel options for









## Mulholland 54" in Agean Limestone

(Shown without cushion fitted)

#### Tiled Insert

Nouveau highlight cast iron with Tulip cast iron tile panels

#### Fire

Bespoke gas burner

#### Hearth

Honed granite

#### Fuel options for Tiled Inserts









#### Insert Option (above)

**© greencast** Wandsworth highlight cast iron arch **© greencast** balanced flue gas fire Mulholland with cushion fitted







## Mulholland 54" in Travertine Marble

(With removable cushion fitted)

#### Arch

**©greencast** Wandsworth highlight cast iron

#### Fire

**@greencast HE** Balanced Flue gas

(Open fronted gas convector, Glass Fronted gas convector & Slimline Open & Glass Fronted gas convector models are also available)

#### Hearth

Polished granite

## Fuel options for **@green**cast









## Mulholland 54" in Umbrian Honed Stone 1" Rebate

### Fascia

Capital Classic Steel Polished Fascia

### Stove

Sirius Traditional

### Chamber


Reeded Fireboard

#### Hearth

Honed Granite

## Fuel options for Sirius Stoves









# Regent 57" in Agean Limestone

### Arch

Wandsworth black cast iron (large burning area)

### Fire

Real wood

### Hearth

Slate hearth (slabbed for solid fuel)

## Fuel options for Arches


















# Regent 57" in Carrara Marble

## Backpanel

Provident highlight cast iron

### Fire

Glass fronted gas convector (slide control) Provident Fireframe highlight

#### Hearth

Polished Granite









# Regent 57" in Travertine Marble

### Tiled Insert

Nouveau black cast iron

### Fire

Real wood

### Hearth

Polished granite (slabbed for solid fuel)

## Fuel options for Tiled Inserts

















# Sandringham 54" in Carrara Marble

### Arch

Wandsworth full polished cast iron

### Fire

Bespoke gas burner

### Hearth

Waterfall polished granite (illustration purposes only)

## Fuel options for Arches











# Sandringham 54" in Liberty White Marble

### Arch

Carlisle highlight cast iron

### Fire

Bespoke gas burner

### Hearth

Slate

## Fuel options for Arches

















# Swinford 48" in Agean Limestone

### Chamber

Rustic brick

### Stove

Sirius 405 Original

### Hearth

Honed granite (slabbed for solid fuel)

## Fuel options for Sirius Stoves





# Byron 46" Solid Oak

(option with under mantel ambient lighting available)

### Backpanel

Polished granite

### Fire

Glass fronted gas convector (slide control) Provident Fireframe highlight

#### Hearth

Polished granite







Close up shown with ambient lighting











# Byron 54" Solid Oak

(option with under mantel ambient lighting available)

### Arch

Wandsworth black cast iron

### Fire

Bespoke gas burner

### Hearth

Polished granite

## Fuel options for Arches







Close up shown with ambient lighting



# Copgrove 54" Solid Oak

(option with under mantel ambient lighting available)

### Backpanel

Oxford highlight cast iron

### Fire

Open fronted gas convector (manual control) Capella Fireframe polished

### Hearth

Polished granite













## Levisham 54" Solid Oak

### Backpanel

Polished granite

### Fire

Open fronted gas convector (manual control) Capella Fireframe Bronze finish

### Hearth

Polished granite

















## Fairburn 36" in Black

### Fire

Real wood

### Hearth

Polished granite (slabbed for solid fuel)









## Fairburn 36" in Full Polished

### Fire

Bespoke gas burner

## Hearth

Polished granite













# Fairburn 36" in Highlight

### Fire

Bespoke gas burner

## Hearth

Polished granite

















## Fairburn 48" in Black

### Fire

Real wood

### Hearth

Polished granite (slabbed for solid fuel)









## Fairburn 48" in Full Polished

### Fire

Bespoke gas burner

### Hearth

Polished granite













## Harewood 36" in Black

### Fire

Real wood

### Hearth

Basalt Tiled (slabbed for solid-fuel)













# Cast Iron Fireplaces

### Harewood 36" in Full Polished

#### Fire

Bespoke gas burner

#### Hearth

Honed granite

Fuel options for Cast Iron Fireplaces

















# Cast Iron Fireplaces

### Harewood 36" in Highlight

#### Fire

Bespoke gas burner

#### Hearth

Polished granite

### Fuel options for Cast Iron Fireplaces













### Danbury

#### Fire


Solid Fuel







Model		Danbury	
Fuel	Electric	Gas	Multi Fuel
Output	1kW or 2kW	Variable	Variable
Gas Type	N/A	Natural Gas (LPG option available)	N/A
Fuel Bed	Coal	Coal as standard	All solid fuels (not supplied)
Material		<b>Cast Iron</b>	











### Arundel

#### Fire

Solid Fuel

#### Beam

Solid Oak 48"












Arundel Black

Arundel Full Polished

Model		Arundel	
Fuel	Electric	Gas	Multi Fuel
Output	1kW or 2kW	Variable	Variable
Gas Type	N/A	Natural Gas (LPG option available)	N/A
Fuel Bed	Coal	Coal as standard	All solid fuels (not supplied)
Material		Cast Iron	







### Arundel

#### Fire

Solid Fuel









Bamburgh Full Polished No Back









Bamburgh Black No Back

Model		Bamburgh	
Fuel	Electric	Gas	Multi Fuel
Output	1kW or 2kW	Up to 6.9kW	Variable
Gas Type	N/A	Natural Gas (LPG option available)	N/A
Fuel Bed	Coal	Coal as standard	All solid fuels (not supplied)
Material		<b>Cast Iron</b>	







### Clifford

#### Fire

Solid Fuel










Clifford Black



Clifford Highlight

Model		Clifford	
Fuel	Electric	Gas	Multi Fuel
Output	1kW or 2kW	Up to 6.9kW	Variable
Gas Type	N/A	Natural Gas (LPG option available)	N/A
Fuel Bed	Coal	Coal as standard	All solid fuels (not supplied)
Material		Cast Iron	





# Mantels at a glance











THE GROSVENOR 56" AVAILABLE IN CARRARA MARBLE & LIBERTY WHITE



THE GROSVENOR 60"
AVAILABLE IN CARRARA MARBLE



THE HANWELL 54"
AVAILABLE IN AGEAN LIMESTONE
& TRAVERTINE MARBLE

	A	В	С	D	E	F	G	Н
ASHCOMBE 54"	1370	1090	915	900	1275	190	75	145
BALHAM 56"	1420	1145	915	915	1305	230	75	165
BYRON 46"	1170	1095	830	900	1130	205	25	150
BYRON 54"	1365	1135	915	915	1270	205	25	155
CHALFONT 60"	1525	123 0	915	915	1430	220	75	180
CHANCERY 52"	1320	1120	915	915	1330	170	75	175
COPGROVE 54"	1370	1140	915	915	1275	195	25	155
EVERLEY 48"	1220	1090	730	860	1115	180	75	150
GROSVENOR 56"	1420	1160	915	915	1295	250	75	145

	A	В	C	D	E	F	G	Н
GROSVENOR 60"	1525	1175	915	915	1395	275	75	165
HANWELL 54"	1370	1145	915	915	1305	190	75	155
HERSHAM 48"	1220	1080	785	880	1115	180	75	140
HERSHAM 54"	1370	1115	915	915	1305	180	75	140
KENSINGTON 56"	1420	1180	915	915	1285	200	75	130
LEVISHAM 54"	1370	1060	830	830	1250	180	25	120
MULHOLLAND 54"	1380	1265	915	915	1255	170	75	145
REGENT 57"	1450	1130	915	915	1340	230	75	180
SANDRINGHAM 54"	1370	1145	915	915	1285	260	75	150
SWINFORD 48"	1220	1030	720	810	1120	200	75	150

# Mantels at a glance





AVAILABLE IN AGEAN LIMESTONE, CARRARA MARBLE, HONED UMBRIAN & LIBERTY WHITE MARBLE



AVAILABLE IN AGEAN LIMESTONE, LIBERTY WHITE MARBLE & HONED UMBRIAN



AVAILABLE IN AGEAN LIMESTONE, HONED UMBRIAN & TRAVERTINE MARBLE



AVAILABLE IN AGEAN LIMESTONE, CARRARA MARBLE & TRAVERTINE MARBLE



AVAILABLE IN CARRARA MARBLE & LIBERTY WHITE MARBLE




AVAILABLE IN AGEAN LIMESTONE



AVAILABLE IN SOLID OAK



AVAILABLE IN SOLID OAK







### Cast iron fireplaces at a glance



FAIRBURN 36" BLACK



FAIRBURN 36" FULL POLISHED



FAIRBURN 36" HIGHLIGHT



FAIRBURN 48" BLACK



FAIRBURN 48" FULL POLISHED




HAREWOOD 36" BLACK



HAREWOOD 36" FULL POLISHED



HAREWOOD 36' HIGHLIGHT






	A	В	С	D	E	F	G	Н	1	J	K
FAIRBURN 36"	780	1000	455	655	595	730	N/A	915	580	730	300
FAIRBURN 48"	1015	1185	450	655	745	805	N/A	1200	580	730	300
HAREWOOD	780	1015	410	550	640	805	N/A	915	470	615	220



**©greencast Wandsworth Highlight Cast Iron Arch** 

FIRE	INDUT	INPUT OUT PUT CHAMBER DEPTH		EFFICIENCY	CERAMICS
FIRE	INPUT	001 P01	CHAMBER DEPTH	EFFICIENCY	COAL
FULL DEPTH OPEN FRONTED CONVECTOR	6.9kW	3.5kW	230	55.8%	✓
SLIMLINE OPEN FRONTED CONVECTOR	6.5kW	2.6kW	90	44.0%	1
FULL DEPTH GLASS FRONTED CONVECTOR	5.0kW	2.9kW	230	64.2%	✓
SLIMLINE GLASS FRONTED CONVECTOR	4.0kW	2.7kW	90	74.0%	1
BALANCED FLUE *	4.6kW	3.9kW	130	94.0%	✓

NATURAL GAS FIRES ONLY



	A	В	С	D	E	F	G	Н
GREENCAST WANDSWORTH	940	940	455	690	800	855	75	n/a

<sup>\*</sup> Minimum wall depth 230mm / Max wall depth 560mm. Optional extended flue max wall depth 930mm

# Cast Iron Interiors at a glance







**CARLISLE BLACK** 

CARLISLE HIGHLIGHT

WANDSWORTH BLACK







WANDSWORTH FULL POLISHED

WANDSWORTH HIGHLIGHT

WANDSWORTH 14" BLACK








WANDSWORTH 14" HIGHLIGHT

**MERRICK HIGHLIGHT** 

**OXFORD HIGHLIGHT** 





	A	В	С	D	E	F	G	ľ	J"	K***
CARLISLE	940	940	405	645	825	850	70	430	710	180
WANDSWORTH	1016	1016	450	665	795	835	80	530	730	190
WANDSWORTH 14"	940	940	365	665	675	820	75	440	730	160
CAPITAL CLASSIC PLATE	980	980	420	570	660	780	n/a	n/a	n/a	n/a
CAPITAL PLAIN PLATE	980	980	420	575	660	780	n/a	n/a	n/a	n/a
MERRICK	980	980	420	575	860	865	75	n/a	n/a	n/a
NOUVEAU	940	940	410	575	841	890	75	470	615	200
OXFORD	980	980	420	575	865	865	75	n/a	n/a	n/a
PROVIDENT	980	980	420	575	805	850	65	n/a	n/a	n/a



- allows 30mm each side for tolerances and backfilling allows 30mm clearance under lintol and 50mm hearth allows a gap of 30mm for back filling and to take up tolerance. This dimension assumes that the hob is fitted in a 75mm rebated mantel

# Cast Iron plates at a glance



CAPITAL PLAIN CAST IRON POLISHED FASCIA
(BLACK STEEL BACK PLATE)
SUITABLE FOR USE WITH MULTI-FUEL



**CAPITAL PLAIN CAST IRON POLISHED FASCIA**(POLISHED CAST IRON BACK PANEL)



**STEEL PLATES COME IN TWO** 

CAPITAL CLASSIC CAST IRON POLISHED FASCIA (BLACK STEEL BACK PLATE) SUITABLE FOR USE WITH MULTI-FUEL



**CAPITAL CLASSIC CAST IRON POLISHED FASCIA** (POLISHED CAST IRON BACK PANEL)



**NOUVEAU BLACK** 



**NOUVEAU HIGHLIGHT** 

Tiled Inserts at a glance


### Other Brochures From The Capital Fireplace Range











www.capitalfireplaces.co.uk



£5 Edition 6





