

Solid Fuel Fires, Installation, Spares & Aftercare



Spares for Antique Fireplaces • Solid Fuel Fire Spares • Gas Fire Spares • Stove Spares • Installation & Aftercare Products

CONTENTS

STOVE ACCESSORIES	2	AIR VENTS	20
FIREPLACE ACCESSORIES	2	FLUE LINERS	21
COMPANION SETS	3	BRICK CHAMBERS	23
SIRIUS FIRE TOOLS	4	FIREBOARD CHAMBER	24
SIRIUS LOG BUCKETS	5	ALL NIGHT BURNERS	25
SIRIUS LOG STORES	6	SOOT & ASH CARRIERS	25
LOG BASKETS	7	SOLID FUEL KITS	25
LOG STORES	8	SOLID FUEL TRIM	26
BUCKETS	8	FIREBASKETS	26
FIRE SCREENS	9	SOLID FUEL FRETS	26
BEAMS	11	DAMPERS & HOODS	27
CLAY FIREBACKS	11	ASHPANS, COVERS & KNOBS	28
ELECTRIC STOVES	12	GRATES	28
AFTERCARE PRODUCTS	13	BARS	29
CO DETECTORS	14	GAS FIRE CERAMICS & TRIMS	30
SEALANTS	15	REPLACEMENT STOVE COMPONENTS	31
STOVE INSTALLATION	15	CAST IRON BACKS	31
COWLS & CHIMNEY POTS	17	BACK PANEL & SLIPS	32
VITREOUS ENAMEL STOVE PIPE	19	HEARTHS	33

TERMS & CONDITIONS

In the following, the "seller" means Capital Fireplaces Ltd, and the "buyer" means the person or company buying the product from the "seller".

1) NEW ACCOUNTS / PROFORMA INVOICES

New accounts may be opened upon receipt of satisfactory references from the buyer's bank and two trade suppliers and only after a minimum 12 months trading period, during which a minimum of £7,000 worth of product must have been purchased. Meanwhile, orders will be accepted and dealt with by payment made upon Proforma Invoicing.

2) TERMS:

- Account holders Must pay in full by the end of the month following the month of invoice.
- b) Non account holders Payment as per agreed schedule with the proforma invoice and will be either i) or ii) below.
- Cash upon delivery, where an invoice will be supplied upon delivery.
- Debit or credit card payment at any time up to delivery of goods, (accepted by telephone and at no extra cost).
- iii) Supply of goods will be withheld if any account is not paid according to these terms, additionally the seller reserves the right to instruct a debt collection agency to recover any outstanding debts on it's behalf. An additional charge of 15% of the outstanding debt will be added to the debt once the debt collection agency is instructed. Once the debt has been cleared the seller will only sell goods on a cash-on-delivery basis. The seller also reserves the right to add charges and/or interest (at the Barclays base rate plus 8%) to any account that does not comply with the specific trading terms. The seller also reserves the right to add charges and/or interest If a cheque requires re-presentation or is returned by the bank, an administration charge of £10.00 will be passed on to the buyer.
- iv) All prices are subject to VAT at the current rate.
 v) Any invoice queries should be made known to our
- Any invoice queries should be made known to our accounts department by the 15th of the month at the end of which the invoice is payable.

3) RISK AND TITLE

Risk in the goods shall pass to the buyer on delivery but goods shall remain the sole and absolute property of the seller as legal and equitable owner, until the buyer has paid to the seller the agreed price. Payment by cheque shall constitute payment only on clearance of the cheque. The seller may for the purpose of recovery of its goods enter any premises where they are stored or where they are reasonably thought to be stored and repossess them. If the goods belonging to the seller are mixed with or incorporated into goods belonging to the buyer the product shall belong to the seller. If goods belonging to the seller are mixed with incorporated goods belonging to any other person the product shall be owned in common with that other person.

4) DELIVERY

- Any delivery days quoted are genuine forecasts but shall NOT be legally binding on the seller.
- b) Timed deliveries cannot be arranged.
- In the event of the seller being unable to supply goods subsequent to receiving an order from the buyer, the seller shall not be liable for any incidental or consequential loss.
- d) It is the buyer's responsibility, regardless of delivery address, to ensure the goods are as ordered and that they are of satisfactory quality.
- e) The seller strongly recommends that the buyer checks correct description and quantity on goods delivery notes prior to signing. In the event of any quality problem whatsoever, the buyer must notify the seller within 3 days of arrival of consignment, as stated on our delivery notes, and before the goods are processed in any way otherwise no responsibility can be accepted for any claims.
- f) Upon acceptance of deliveries the buyer must sign the seller's or carrier's delivery note. Claims for loss or damage must be made within 3 days of arrival of consignment informing the seller and carrier of the loss or damage involved. Damaged items and packaging must be retained for inspection. The seller shall not be held liable otherwise.
- g) If goods despatched from the seller, by van or other method do not arrive within 24 hours of the quoted delivery date, the seller must be notified immediately by telephone or fax.
 h) In all events the limits of liability for any fault or defect
- h) In all events the limits of liability for any fault or defec in the product shall be a sum not exceeding the purchase price of the particular goods, and the seller shall not be liable for any subsequent loss howsoever arising.
- The seller will not accept any liability for delays caused by "force majeure" beyond the seller's control.
- k) Our drivers are required to carry out a risk assessment for every delivery, should they consider that the risks associated with any delivery are too great, they may abort the delivery if alternative arrangements cannot be made with the buyer or their agents.

5) VAN DELIVERIES

Products are generally held in stock, although please check availability at the time of ordering as we cannot be held responsible for delayed fittings. Delivery is free of charge on deliveries over £250.00 (excluding VAT) within the sellers delivery area (South East England). A £25.00 delivery charge will be applied for deliveries under and including £250.00 (excluding VAT).

6) PARCEL COURIER SERVICE

(Maximum weight 20kgs Sizes should not exceed 600mm in each side).

Up to 3 day service £25.00 (orders under and including £250.00 excluding VAT).

£250.00 excluding VAT).
Up to 3-day service FREE (orders over £250.00 excluding VAT).

Next Day (by 10am) £30.00.

7) PALLET LINE SERVICE

Prices start at £40.00, the buyer must confirm the price from the seller prior to despatch of the goods and confirmed to the seller by fax. Goods delivered by Courier or Palletline must be inspected, and signed for before the driver leaves, in order for us to be able to consider claims.

8) RETURNS

The seller reserves the right of discretion, to accept/or refuse the return of any goods supplied and to make a restocking charge. It is the buyer's responsibility to ensure that all goods returned are properly packed and returned in mint condition. Damaged or incomplete goods will not be accepted for credit unless a prior agreement is made. Drivers cannot accept returned goods without the correct paperwork. If upon receipt and examination of returned goods, the seller finds there is a discrepancy in the stated reason by the buyer for returning the goods, the seller reserves the right to charge in full for the goods in question.

9) SPECIAL ORDERS

The buyer is required to send to the seller, by fax or letter, confirmation of special orders customer specifications. The seller will, at the time, if possible give the buyer an estimated price and delivery date. The seller will take every reasonable care to ensure the order is to the buyer's instruction but strongly recommends the buyer visually checks the order as the seller will accept no responsibility after the 3 day period for incorrect orders delivered.

10) CANCELLATION

In any event of cancellation of any order, already delivered, the buyer will be responsible for a 20% restocking charge.

11) ERRORS AND OMISSIONS

In the event of administrative errors in the collation of the seller's price list or brochure please note that we reserve the right to amend prices without prior notification to the buyer.

12) HE CAST IRON & FIRES

The products within the H.E. range are not for sale or pricing on internet trading or marketing websites, or for onward sale to a third party who will trade or price market them on an internet website. By agreeing to purchase any of the products included within this range the buyer understands that a contravention of this trading requirement will lead to supply being suspended, potentially indefinitely. For the avoidance of doubt as to the understanding of this trading requirement, contravention of which the seller intends to strictly enforce, the buyer should contact their sales representative or accounts office prior to offering these products for sale, as a refusal or a suspension of supply could create unnecessary problems and the seller will not be responsible for any costs incurred should supply be refused or suspended.

13) DISPLAYS

Any products supplied for showroom display at a discount must be kept on display for a minimum of 9 months. Should products be removed or sold off prior to this then Capital Fireplaces reserve the right to invoice for these goods at full trade price.

1 CONTENTS

STOVE ACCESSORIES










FIREPLACE ACCESSORIES





COMPANION SETS



























SIRIUS FIRE TOOLS















HEARTHSIDE ACCESSORIES 4

SIRIUS LOG BUCKETS




















SIRIUS LOG STORES















HEARTHSIDE ACCESSORIES 6


LOG BASKETS















/

LOG STORES

BUCKETS









COAL BUCKETS










HEARTHSIDE ACCESSORIES 8

FIRE SCREENS




















FIRE SCREENS















HEARTHSIDE ACCESSORIES 10

BEAMS



FIRE BACKS







ELECTRIC STOVES



VISTA

Adjustable Flame, Adjustable Thermostat, Flame without Heat, Automatic Cut-out Safety Device, Size:- H 540mm, W 415mm, D 280mm. Output:- 900-1800w Fan Heater - **Code: 3123**



ZODIAC

Adjustable Flame, Adjustable Thermostat, Flame without Heat, Automatic Cut-out Safety Device, Size:- H 570mm, W 510mm, D 280mm. Output:- 900-1800w Fan Heater - **Code: 3126**



ORBIT


Adjustable Flame, Adjustable Thermostat, Flame without Heat, Automatic Cut-out Safety Device Size:- H 540mm, W 415mm, D 280mm. Output:- 900-1800w Fan Heater - **Code: 3121**

AFTERCARE PROCUCTS













13 AFTERCARE

AFTERCARE PROCUCTS













AFTERCARE 14

SEALANTS















STOVES INSTALLATION





STOVES INSTALLATION



REGISTER PLATE SIZE KITS
REGISTER PLATE WITH TWO ACCESS HATCHES AND FIXING BRACKETS AVAILABLE IN THE FOLLOWING SIZES: 1220MM x 405MM, 1075MM x 380MM, 810MM x 380MM











COWLS & CHIMNEY POTS
















COWLS & CHIMNEY POTS














VITREOUS ENAMEL STOVE PIPES





STOVE FLUE PIPE 0.5 METRE LENGTH

(5"or 6")



(5"or 6")









(5"or 6")





STOVE FLUE PIPE T PIECE PLUG

(5"or 6")



45° BEND WITH DOOR (5"or 6")




STOVE FLUE PIPE T PIECE

(5"or 6")



STOVE FLUE PIPE M TO M FITTING (5"or 6")



Revolutionary new design gets the look right

RYTON VENTS

We all want our living spaces to be as comfortable and attractive as possible, and unsightly, draughty room ventilators can be an annoyance. Tempted into blocking up the vent or changing the grille homeowners may be heading for other problems such as mould growth, or the build-up of dangerous gases from combustion appliances, due to insufficient ventilation.

So how can you provide essential ventilation and maintain a pleasant environment for the occupant?

Rytons LookRyt® AirCores® are a great new range of 125mm dia. core ventilators featuring Rytons innovative LookRyt® panels.

The revolutionary design of Rytons new LookRyt® panels has angled openings around the rear of a flat face plate. This gives a multi-directional air flow allowing air to disperse evenly into the room - a fantastic improvement on the look and Performance of standard grilles.



Multi-directional air flow allows air to dispers evenly into the room

Manufactured in magnolia colour to co-ordinate with a newbuild colour scheme, the face plate of Rytons new LookRyt[®] is suitable for wallpapering or painting any colour. This unique feature allows the panel to be updated with the room decor for a more discrete appearance.







A fantastic improvement on the look and performance of standard grilles







FLUE LINERS



Smooth inner skin provides resistance to corrosive attack due to easydrain down of condensate, less opportunity for soot collection and smooth surface for ease of sweeping.

MULTI FUEL FLUE LINERS

Multi Fuel Packs Components	A	В
Pot Hangar Cowl	~	
Rain Cap		~
Top Plate		~
Top Clamp		~
Adaptor to flex	~	~

GAS FLUE LINERS

Other components and flue liners are available on request, to make an enquiry please contact the Customer Service Team

A RANGE OF FLEXIBLE FLUE LINER ACCESSORIES IS AVAILABLE ON REQUEST.

^{*} Multi Fuel Pack Components optional extra

^{**} Gas Terminal & Clamp optional extra


FLUES

Designation No. EN1856-1 T600 N1 W Vm L50040/050/060 G60

KC Twinwall has been designed with the
installer in mind with a wide range of installer
friendly components. It is quick and easy to
install leaving you with a clean lined system
to the highest standards and the unique,
robust jointing system ensures a positive fit
on every joint that is secured with a locking
band. KC with its open ended construction,
eradicates the problem of hotspots within
the joints leaving a continuous full insulated
chimney throughout.



Bungalow Internal



Item	Description	5" 125mm	6" 150mm
-	Adapter to SW	~	~
9.7	Increaser SW to KC	~	~
	1000mm Pipe 500mm Pipe 250mm Pipe	V V	V V
	500-880mm Adj Pipe 350-500mm Adj Pipe 250-350mm Adj Pipe	\ \ \ \ \ \ \ \	V V
de	45 Degree Bend	~	~
100	30 Degree Bend	~	~
	15 Degree Bend	~	~
	135 Degree Tee	~	~
h	90 Degree Tee	~	~
(8)	Tee Cap	~	~
180	Tee Cap with Drain	~	~
9	Wall Spt 50-80mm Wall Spt 80-130mm Wall Spt 130-210mm	\(\frac{1}{2}\)	\(\times \)
N	Adj Base Support	~	~
-	Console Plate	~	~
5	Roof Support	~	~
D	Joist Support	~	~
\leq	Guy Wire Bracket	~	~
	Firestop Plate (solid)	~	~
	Ventilated Firestop Plate (white)	~	~
	Firestop Cover Plate (white)	~	~
4	Storm Collar	~	~
•	Residential Flashing EPDM	~	~
101	Rain Cap	~	~
E THE	Anti-wind Cowl	~	~
1	45 Degree Adj Wall Sleeve	~	~
117	Flex to KC Adapter	~	~
6	Round Finish Plate 90 Degree 45 Degree	~	~

11050 1 100	JO NI W VIII LJOO4	0,000,0	700 doc
Item	Description	5" 125mm	6" 150mm
W	Adapter to SW	~	~
7	Increaser SW to KC	~	~
	1000mm Pipe	_	_
	500mm Pipe 250mm Pipe	~	~
	500-880mm Adj Pipe	_	
	350-350mm Adj Pipe 250-350mm Adj Pipe	~	~
	45 Degree Bend	~	~
	30 Degree Bend	~	~
	15 Degree Bend	~	~
	135 Degree Tee	~	~
h	90 Degree Tee	~	~
	Tee Cap	~	V
100	Tee Cap with Drain	V	~
\cap	Wall Spt 50-80mm	_	·
М	Wall Spt 80-130mm Wall Spt 130-210mm	~	~
	Adj Base Support	~	~
-	Console Plate	~	~
	Roof Support	~	~
D	Joist Support	~	~
0	Guy Wire Bracket	~	~
	Firestop Plate (solid)	~	~
	Ventilated Firestop Plate (white)	~	~
	Firestop Cover Plate (black)	~	~
	Storm Collar	~	~
•	Residential Flashing EPDM	~	~
	Rain Cap	~	~
	Anti-wind Cowl	~	~
1	45 Degree Adj Wall Sleeve	~	~
117	Flex to KC Adapter	~	~
(Round Finish Plate 90 Degree 45 Degree	<i>v</i>	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

CHAMBERS








London Stock chamber

Red Brick chamber

Rustic Brick chamber



Rustic Herringbone Brick chamber





Rustic Rainbow chamber



Charcoal Slate chamber



Riven Portuguese Limestone chamber

All stove chambers available in standard and bespoke sizes

FIREBOARD CHAMBERS



Plain Skamolex Fireboard chamber



Brick Skamolex Fireboard chamber



Reeded Skamolex Fireboard chamber

PRODUCT	THICKNESS	SIZE	DENSITY
PLAIN PANELS	20mm	1000 x 610mm	600kg/cu.m
PLAIN PANELS	25mm	1000 x 610mm	600kg/cu.m
REEDED LANDSCAPE PANELS	20mm	1000 x 610mm	700kg/cu.m
REEDED PORTRAIT PANELS	20mm	20mm 1000 x 610mm 700kg/cu.m	
BRICK LANDSCAPE PANELS	20mm	1000 x 610mm	600kg/cu.m
SKAMOLEX BLUE	25mm	1000 x 610mm	225kg/cu.m

SKAMOLEX BLUE

Calcium silicate boards are used both as fireplace insulation as well as a part of the construction. The boards are non - dusting, rigid, smooth and simple to install. The properties of the product allow a simple installation, using only ordinary wood-working tools.

FERMACELL POWERPANEL H₂0

Water resistant cement particle building board. Heat resistant to prolonged surface temperatures of up to 200°C. Ideal for Stove chambers although should not be used in an environment where direct contact with a naked flame is possible or heat limits exceeded.



ALL NIGHT BURNERS




SOOT & ASH CARRIERS





SOLID FUEL KITS









25 SOLID FUEL FIRES

SOLID FUEL 16" x 22" x 2" TRIMS









FIREBASKETS

TRADE PRICES SUBJECT TO DEALER BAND DISCOUNTS









SOLID FUEL FRETS



SOLID FUEL FIRES 26

REPLACEMENT CAST IRON PRODUCTS - DAMPERS













27 SPARES

REPLACEMENT CAST IRON PRODUCTS - ASHPANS, COVERS & KNOBS





COMBINATION

13"(W) x 6"(D)

AP9

TAPERED ASHPAN FOR 16"

BACK - 11"(W) x 8%"(D)

(FOR USE WITH G3, G4, G5, G6, G7, G15, G16)









REPLACEMENT CAST IRON PRODUCTS - GRATES

All grates are measured at their widest point and dimensions are to the nearest ½"
























REPLACEMENT CAST IRON PRODUCTS - BARS



DIMENSIONS

- A Maximum Width
- **B** Width between centre of uprights
- **C** Height






































29 SPARES

CERAMICS FOR GAS FIRES

















MAGNETIC TRIMS FOR GAS & ELECTRIC FIRES











REPLACEMENT STOVE COMPONENTS





REPLACEMENT CAST IRON PRODUCTS - BACKS

Trade Prices Subject To Dealer Band Discounts









ALL BACKS ARE SHOWN WITH DAMPER, GRATE AND ASHPAN, WHICH ARE SOLD AND PRICED SEPARATELY

31 SPARES

REBATE STRIPS

SET INCLUDES: 1 @ 965 x 50 x 20 (mm), 2 @ 915 x 50 x 20 (mm)



HEARTH & BACKPANEL SETS

NAME	HEARTH SIZE	BACK PANEL	CUT OUT
BARLY WHITE, SATIN BEIGE. PERLA	42", 44", 48" & 54"	37"x37"	16½"x22½"



HEARTHS

	OVERALL NOMINAL		
GRANITE BOXED AND LIPPED HEARTHS	HEIGHT (mm)	POLISHED	HONED
36" x 15"	50	V	N/A
48" x 15"	50	V	✓
51" x 15"	50	V	N/A
54" x 15"	50	V	✓
54" x 18"	50	V	N/A
56" x 15"	50	✓	✓
60" x 18"	50	V	N/A

Flat sheets available on request and at pallet rates. Nominal thickness is 20mm

GRANITE FLAT HEARTHS	OVERALL NOMINAL HEIGHT (mm)	POLISHED	HONED
PUSH-UNDER BACK HEARTH (30" x 6")	20	V	N/A
STANDARD BACK HEARTH (32" x 15")	20	~	✓
LARGE BACK HEARTH (38" x 15") NEW	20	V	✓
36" x 24" NEW - FOR FREESTANDING STOVES (Finished all four sides)	20	V	✓
48" x 18"	20	V	✓
54" x 18"	20	V	✓
60" x 20"	20	V	✓

Buy flat sheets in crate quantities and get 25% discount

buy hat sheets in crate quantities and get 25% discount				
GRANITE SLIPS STANDARD SIZES		POLISHED	НОІ	NED
SIZE ONE (BASKET) OPENING 635 x 635 (1 x (940 x 305) 2 x (152 x	x 635))	V	6	/
SIZE TWO (INSET) OPENING 420 x 570 (1 x (940 x 370) & 2 x (260	x 570))	~	6	/
STOVE SLIP SET OPENING 839 x 839 (1 x (965 x 254) & 2 x (152 x	839)) NEW	V	6	/
BACK PANELS	OVERALL NOMINAL HEIGHT (mm)	GRANITE POLISHED	GRANITE HONED	SLATE HONED*
37" x 37" WITH STANDARD CUT OUT	20	V	V	V
37" x 37" WITH NO CUT OUT	20	~	~	~
40" x 40" WITH STANDARD CUT OUT*	20	V	N/A	✓
40" x 40" WITH NO CUT OUT	20	V	N/A	V

SLABBED HEARTHS FOR SOLID FUEL	OVERALL NOMINAL HEIGHT (mm)	GRANITE POLISHED	GRANITE HONED
36" x 18"	50	V	N/A
36" x 24" NEW - FOR FREESTANDING STOVES (Finished all four sides)	50	V	~
48" x 18"	50	V	✓
54" x 18"	50	V	✓
56" x 18"	50	V	N/A
60" x 18"	50	V	N/A

Other sized Slabbed Hearths are available, prices on request. Push unders are also available, prices on request.

SLATE HEARTHS FOR GAS	OVERALL NOMINAL HEIGHT (mm)	HONED
36" x 15"	50	~
48" x 15"	50	✓
51" x 15"	50	~
54" x 15"	50	~

Please specify at the time of ordering whether you would like the slate oiled or not.

^{*} None stock items, six working day lead time.

AGEAN LIMESTONE	OVERALL NOMINAL HEIGHT (mm)
Back Hearth 32" x 15"	20
Large Back Hearth 38" x 15"	20
Hearth 48" x 15" Boxed and Lipped	50
Hearth 54" x 15" Boxed and Lipped	50
Slip Set Standard Size Two, Opening 420 x 575 (1 x (945x365) & 2 x (260x575))	
Rebate Spacer Strips 3 part (1 x (965 x 50 x 20) 2 x (915 x 50 x 20)	

CARRARA MARBLE

Rebate Spacer Strips 3 part (1 x (965 x 50 x 20) 2 x (915 x 50 x 20)

LIBERTY WHITE MARBLE

Rebate Spacer Strips 3 part (1 x (965 x 50 x 20) 2 x (915 x 50 x 20)

TRAVERTINE MARBLE

Rebate Spacer Strips 3 part (1 x (965 x 50 x 20) 2 x (915 x 50 x 20)

* ORDER WORKING DAY ONE, FOR WORKING DAY SIX DELIVERY *

	FLAT CUTS	BOXED AND LIPPED CUTS	SLIP SETS CUT TO ANY SIZE (EDGES UNPOLISHED)
GRANITE POLISHED	V	V	V
GRANITE HONED	✓	✓	V
SLATE HONED	V	✓	✓
SLATE RIVEN	V	✓	✓
LIMESTONE AGEAN	V	V	✓
LIMESTONE PORTUGUESE	V	V	✓
BARLEY WHITE, PERLA & SATIN BEIGE MICRO MARBLE	✓	~	~

ADDITIONAL SERVICES

BEVELLED, OGEE & BOXED FLUSH HEARTH IN MICRO MARBLE

REDUCING HEARTH DEPTH **

EDGE POLISHING ON SLIP SETS

STANDARD SIZE HEARTHS CUT INTO THREE PIECES FOR SOLID FUEL - NOT SLABBED

STANDARD SIZE HEARTHS CUT INTO FOUR PIECES FOR SOLID FUEL - NOT SLABBED

HEARTH REJOINED

BOXED AND FLUSH EXTRA COST

REDUCE SHELF SIZE

VARIETY OF HEARTH CORNERS AND EDGES

LARGER FIRE OPENINGS ON BACK PANELS

REDUCING EXTERNAL BACK PANEL SIZE

SLATE PLINTH FOR BASKETS (700mm (W) x 330mm (D) x 80mm (H))

HEARTH SLABBING

Boxed and lipped hearths have 1/2" over hang

Riven slate hearths use honed slate risers

^{**} Lead times may be longer



